

## 21000 liter tank i Rostfritt 304



**137,000,00 kr /st exkl moms**

**Additional information:** Textile industry; Wall thickness of the bottom at the manhole: 4 mm; Wall thickness of the other bottom: 3 mm; insulation partly no longer complete; Insulating jacket partially detached or no longer completely; bump at the insulation jacket

**Volumetric volume (L):** 21.000 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** horizontal

**Configuration:** insulated  
**Heat exchanger:** no  
**Insulation:** yes  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no  
**Position of manway:** cylinder

**Outlet of tank:** 110  
**Cylinder:** 3 mm  
**Internal diameter tank:** 2.900 mm  
**Outer diameter tank:** 3.180 mm  
**Total height of tank:** 3.450 mm

**Total outer length:** 4.950 mm

**SKU:** 274972

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Textile industry; Wall thickness of the bottom at the manhole: 4 mm; Wall thickness of the other bottom: 3 mm; insulation partly no longer complete; Insulating jacket partially detached or no longer

Övrig information2: completely ; bump at the insulation jacket

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 21000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Invändig diameter: 2.900 mm

Total höjd: 3.450 mm

Ytterdiameter: 3.180 mm

## Tjocklek på tank

Cylinder: 3 mm

**Mer**

Isolerad: Ja

---