

21241 liter tank i Syrafast 316



238 000 SEK /st exkl moms

Additional information: Legs of steel (Fe)

Volumetric volume (L): 21.241 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3,20 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Internal diameter tank: 2.800 mm

Total height of tank: 5.000 mm

SKU: 709747

Mer information



Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: pressure and vacuum
Konfiguration: insulated
Max. arbetstemperatur: 200 °C
Mobil tank: Nej
Övrig information: Legs of steel (Fe)
Omrörare: Nej
Övertryck: 3,20 Bar
Total urtappning: Ja
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 21241

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 2.800 mm
Total höjd: 5.000 mm

Mer

Isolerad: Ja

