

21400 liter tank i Rostfritt 304



248 000 SEK /st exkl moms

Additional information: Beverage industry

Volumetric volume (L): 21.400 L

Pressure in tank: ATM - atmosferic

Max. pressure (Bar): 4,50 Bar

Max. temperature (°C): 20 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 205 L

Max Overpressure: 1,50 Bar

Max. working temperature: 20 °C

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN50 DIN 11851

Top: 5,40 mm

Cylinder: 6 mm

Bottom: 5,70 mm

Internal diameter tank: 2.888 mm

Outer diameter tank: 2.930 mm

Cylinder height: 2.300 mm

Total outer width: 4.150 mm

SKU: 276493

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: pressure
Konfiguration: single jacketed with heat-exchanger
Max. arbetstemperatur: 20 °C
Mobil tank: Nej
Övrig information: Beverage industry
Omrörare: Nej
Övertryck: 4,50 Bar
Total urtappning: Ja
Trycktank: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 21400

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.300 mm
Invändig diameter: 2.888 mm
Ytterdiameter: 2.930 mm

Tjocklek på tank

Botten: 5,70 mm

Cylinder: 6 mm

Topp: 5,40 mm

Mer

Isolerad: Nej