

## 21500 liter tank i Rostfritt 304



**167 000 SEK /st exkl moms**

**Additional information:** fruit juice industry; small sheet metal cutouts in the insulation jacket; ventilation hoods no longer present in the upper bottom; dents at the insulation jacket; pipe end cut flush

**Volumetric volume (L):** 21.500 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** 80

**Agitator:** yes

**Power:** 7,50

**Internal diameter tank:** 2.590 mm

**Outer diameter tank:** 2.800 mm

**Cylinder height:** 4.100 mm

**Total height of tank:** 6.200 mm

**SKU:** 271906

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: fruit juice industry; small sheet metal cutouts in the insulation jacket; ventilation hoods no longer present in the upper bottom; dents at the insulation jacket; pipe end cut flush; we can't give

Övrig information2: any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 21500

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 4.100 mm

Invändig diameter: 2.590 mm

Total höjd: 6.200 mm

Ytterdiameter: 2.800 mm

## Omrörare

Kraft (kW): 7,50

**Mer**

Isolerad: Ja

---