


21500 liter tank i Syrafast 316



249 000 SEK /st exkl moms

Additional information: Manhole approx. 500 x 400 mm; total height listed includes railing; slight metallic discoloration on the inside

Volumetric volume (L): 21.500 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 200

Top: 3 mm

Cylinder: 3 mm

Bottom: 6 mm

Internal diameter tank: 2.400 mm

Outer diameter tank: 2.560 mm

Cylinder height: 4.500 mm

Total height of tank: 9.000 mm

SKU: 703214

Mer information



Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfäric

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Manhole diameter: approx. 500 x 400 mm; dimensions as shown in the drawing

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 21500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 4.500 mm

Invändig diameter: 2.400 mm

Total höjd: 7.839 mm

Ytterdiameter: 2.560 mm

Tjocklek på tank

Botten: 6 mm

Cylinder: 3 mm

Topp: 3 mm



Mer

Isolerad: Ja