

21940 liter tank i Syrafast 316



318,000,00 kr /st exkl moms

Additional information: food industry; Tank bottom and 1/3 of the cylinder can be tempered

Volumetric volume (L): 21,940 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Agitator: yes

Number of revolutions: 109

Power: 0,66

Internal diameter tank: 2.830 mm

Outer diameter tank: 3.000 mm

Cylinder height: 3.400 mm

Total height of tank: 5.000 mm

SKU: 478005

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: food industry; Tank bottom and 1/3 of the cylinder can be tempered; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 21940

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 3.400 mm

Invändig diameter: 2.830 mm

Total höjd: 5.000 mm

Ytterdiameter: 3.000 mm

Omrörare

Kraft (kW): 0,66

Varvtal: 109

Mer

Isolerad: Ja
