

## 220 liter tank i Rostfritt 304



**23 000 SEK /st exkl moms**

**Additional information:** food industry; fastening material for hanging the tank is missing; some residues of previous content; bump at the insulation jacket

**Volumetric volume (L):** 220 L

**Pressure in tank:** ATM - atmospheric

**Max. temperature (°C):** 150 °C  
**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical  
**Configuration:** insulated  
**Heat exchanger:** no  
**Insulation:** yes  
**Mobile tank:** no

**Total discharge:** yes  
**Volume:** 48 L  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes

**Flange for agitator:** no  
**Outlet of tank:** 25  
**Agitator:** yes  
**Number of revolutions:** 2.850  
**Power:** 1,8

**Internal diameter tank:** 590 mm  
**Outer diameter tank:** 760 mm  
**Cylinder height:** 700 mm  
**Total height of tank:** 1.700 mm

**SKU:** 425798

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated

Max. arbetstemperatur: 150 °C

Mobil tank: Nej

Övrig information: food industry; fastening material for hanging the tank is missing; some residues of previous content;bump at the insulation jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 220

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 700 mm

Invändig diameter: 590 mm

Total höjd: 1.700 mm

Ytterdiameter: 760 mm

**Omrörare**

Kraft (kW): 1,8

Varvtal: 2.850

**Mer**

Isolerad: Ja