220 liter tank i Rostfritt 304



23 000 SEK /st exkl moms

Additional information: food industry; fastening material for hanging the tank is missing; some residues of previous content; bump at the insulation jacket
Volumetric volume (L): 220 L
Pressure in tank: ATM - atmosferic
Max. temperature (°C): 150 °C

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no

Total discharge: yes
Volume: 48 L
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Outlet of tank: 25
Agitator: yes
Number of revolutions: 2.850
Power: 1,8

Internal diameter tank: 590 mm
Outer diameter tank: 760 mm
Cylinder height: 700 mm
Total height of tank: 1.700 mm

SKU: 425798

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Max. arbetstemperatur: 150 °C
Mobil tank: Nej
Övrig information: food industry; fastening material for hanging the tank is missing; some residues of previous content;bump at the insulation jacket; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 220

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 700 mm
Invändig diameter: 590 mm
Total höjd: 1.700 mm
Ytterdiameter: 760 mm

Omrörare
Kraft (kW): 1,8
Varvtal: 2.850

Mer
Isolerad: Ja

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se