

220 liter tank i Syrafast 316



48 000 SEK /st exkl moms

Additional information: Pharmacy; Mobile stainless steel frame with 5 wheels; outlet with screwed-on reducer

Volumetric volume (L): 220 L

Pressure in tank: pressure

Max. pressure (Bar): 0,50 Bar

Max. temperature (°C): 90 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 50

Agitator: yes

Power: 0,37

Cylinder: 5 mm

Bottom: 5 mm

Internal diameter tank: 600 mm

Cylinder height: 630 mm

Total height of tank: 1.380 mm

Empty weight tank: 280

SKU: 483444

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 90 °C

Mobil tank: Nej

Övrig information: Pharmacy; Mobile stainless steel frame with 5 wheels; outlet with screwed-on reducer; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 0,50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 220

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 630 mm

Invändig diameter: 600 mm

Total höjd: 1.380 mm

Omrörare

Kraft (kW): 0,37

Tjocklek på tank

Botten: 5 mm

Cylinder: 5 mm

Mer

Isolerad: Nej

Vikt: 280