

2200 liter tank i Syrafast 316



27,000 SEK /st exkl moms

Additional information: Food; 1 welded stainless steel bar above the tank opening; 1 tank with DN 100 DIN 11851 outlet (disc tap without hand lever); pipe end cut flush

Volumetric volume (L): 2.200 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: open

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: pipe end Ø appr. 150mm

Internal diameter tank: 1.490 mm

Cylinder height: 1.190 mm

Total height of tank: 2.300 mm

SKU: 563362

Mer information

Beskrivning av produkt

Material: Syrafast 316

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Food; 1 welded stainless steel bar above the tank opening; 1 tank with DN 100 DIN 11851 outlet (disc tap without hand lever); pipe end cut flush

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 2200

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.190 mm

Invändig diameter: 1.490 mm

Total höjd: 2.300 mm

Mer

Isolerad: Nej