22000 liter tank i Rostfritt 304



137 000 SEK /st exkl moms

Additional information: Cip-tank in a brewery; 1 manhole diameter 400 mm in the front bottom; outlet slightly bent; Pipelines inside; metallic discolourations inside (see photos); some residues of previous content; pipe end cut flush
Volumetric volume (L): 22.000 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)
Model: horizontal

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: 65

Agitator: yes
Number of revolutions: 710
Power: 2,20
Internal diameter tank: 2.090 mm
Outer diameter tank: 2.190 mm

Total height of tank: 2.450 mm
Total outer length: 7.700 mm

SKU: 396380

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Mobil tank: Nej
Övrig information: Cip-tank in a brewery; 1 manhole diameter 400 mm in the front bottom; outlet slightly bent; Pipelines inside; metallic discolourations inside (see photos) ; some residues of previous content;pipe
Övrig information2: end cut flush; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 22000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 2.090 mm
Total höjd: 2.450 mm
Ytterdiameter: 2.190 mm

Omrörare

Kraft (kW): 2,20
Varvtal: 710

Mer
Isolerad: Ja