22000 liter tank i Rostfritt 304



262 000 SEK /st exkl moms

Article type: second-hand storage tank
Additional information: the tanks have never been used
Volumetric volume (L): 22.000 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)

Model: horizontal
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Shape of tank: cylindrical
Wall type: conical
Total discharge: yes
Fixation points: 4 non adjustable feet
Manway(s): RVS 304

Fixation point(s): RVS 304
Suitable for food industry: yes
Documents included: no
Technical drawing included: yes
Registration plate on the tank: no

Flange for agitator: no
Number of manways: 1
Position of manway: headside
Height manhole 1 (mm): 415 mm x H 515 mm
Agitator: no, optional

Top: 3 mm
Cylinder: 3 mm
Bottom: 3 mm
Outer diameter tank: 2.906 mm
Cylinder height: 3.000 mm

Total height of tank: 3.300 mm
Total outer length: 3.900 mm
Empty weight tank: 1.000

SKU: 427601

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Horisontell
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: The tanks have never been used
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 22000

Utrustning

Dokument finns: Nej, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Teknisk ritning finns: Ja

Översikt material

Material: Rostfritt 304
Fixeringspunkt(er): RVS 304

Dimensioner av tank
Cylinderhöjd: 3.000 mm
Total höjd: 3.300 mm
Ytterdiameter: 2.906 mm

Tjocklek på tank
Botten: 3 mm
Cylinder: 3 mm
Topp: 3 mm

Mer
Isolerad: Nej
Vikt: 1.000

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se