22000 liter tank i Rostfritt 304

204 000 SEK /st exkl moms

Additional information: brewery; exact dimensions may vary slightly,
Volumetric volume (L): 22.000 L
Pressure in tank: pressure
Max. pressure (Bar): 2 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: cylinder
Outlet of tank: DN80 DIN 11851
Top: 3,50 mm
Cylinder: 3 mm
Bottom: 4 mm

Internal diameter tank: 1.994 mm
Outer diameter tank: 2.000 mm
Cylinder height: 6.500 mm
Total height of tank: 8.000 mm
Empty weight tank: 1.650

SKU: 433856

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: brewery; exact dimensions may vary slightly,
Omrörare: Nej
Övertryck: 2 Bar
Total urtappning: Ja
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 22000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 6.500 mm
Invändig diameter: 1.994 mm
Total höjd: 8.000 mm
Ytterdiameter: 2.000 mm

Tjocklek på tank
Botten: 4 mm
Cylinder: 3 mm
Topp: 3,50 mm

Mer
Isolerad: Nej
Vikt: 1.650