

22500 liter tank i Syrafast 316



198,000,00 kr /st exkl moms

Additional information: Pharmacy; Total volume approx. 22950 liters; 1 manhole DN 800 in the front bottom; several openings or outlets below in the tank (ends cut off); Foot ends cut off, are included loose (see photos)

Volumetric volume (L): 22.500 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)
Model: horizontal

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: available

Cylinder: 6 mm
Internal diameter tank: 2.200 mm
Total outer length: 6.650 mm

SKU: 278998

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Total volume approx. 22950 liters; 1 manhole DN 800 in the front bottom; several openings or outlets below in the tank (ends cut off); Foot ends cut off, are included loose (see photos)

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 22500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 2.200 mm

Tjocklek på tank

Cylinder: 6 mm

Mer

Isolerad: Nej

