

2300 liter tank i Rostfritt 304



81 000 SEK /st exkl moms

Additional information: food; Double jacket made of normal steel around the cylinder and the lower bottom (with electric heating to heat up the heating medium; probably needs to be reworked on site or no longer functional); some residues of previous content

Volumetric volume (L): 2.300 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: insulated with heat-exchanger
Heat exchanger: yes
Insulation: yes
Mobile tank: no
Total discharge: yes

Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket
Documents included: no
Technical drawing included: no
Registration plate on the tank: no

Flange for agitator: no
Outlet of tank: available
Agitator: yes
Power: 5,50
Internal diameter tank: 1.590 mm

Cylinder height: 1.280 mm
Total height of tank: 2.950 mm
Empty weight tank: 1,50

SKU: 268348

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: food; Double jacket made of normal steel around the cylinder and the lower bottom (with electric heating to heat up the heating medium; probably needs to be reworked on site or no longer

Övrig information2: functional); some residues of previous content; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2300

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.280 mm

Invändig diameter: 1.590 mm

Total höjd: 2.950 mm

Omrörare

Kraft (kW): 5,50

Mer

Isolerad: Ja

Vikt: 1,50