

2300 liter tank i Rostfritt 304



55,000,00 kr /st exkl moms

Article type: second-hand storage tank

Additional information: the tank has never been used

Volumetric volume (L): 2.300 L

Max. density P (kg/m³): 1

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no



Insulation: no

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 3 non adjustable feet

Manway(s): RVS 304

Gasket manway(s): parra rubber

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: headside

Height manhole 1 (mm): 400 mm

Tank outlet: inside Ø 40 mm

Total outlet valve: no

Top: 1,20 mm

Cylinder: 1 mm

Bottom: 1,50 mm

Outer diameter tank: 1.190 mm

Cylinder height: 2.000 mm

Feet height: 400 mm

Total height of tank: 2.715 mm

Empty weight tank: 150

SKU: 180754

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja
Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Maximal densitet för produkten: 1
Mobil tank: Nej
Övrig information: the tank has never been used
Omrörare: Nej
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: conical
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 2300

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Livsmedelsklassad: Ja
Tankutlopp: inside Ø 40 mm
Teknisk ritning finns: Nej
Utloppsventil: Nej



Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): RVS 304

Dimensioner av tank

Cylinderhöjd: 2.000 mm

Höjd på fötter: 400 mm

Total höjd: 2.715 mm

Ytterdiameter: 1.190 mm

Tjocklek på tank

Botten: 1,50 mm

Cylinder: 1 mm

Topp: 1,20 mm

Mer

Isolerad: Nej

Vikt: 150