

## 2300 liter tank i Syrafast 316



**32 000 SEK /st exkl moms**

**Additional information:** adhesive production; Total height incl. frame; frame Fe (lacquered); some residues of previous content

**Volumetric volume (L):** 2.300 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 37

**Top:** 3 mm

**Cylinder:** 3 mm

**Bottom:** 4 mm

**Internal diameter tank:** 1.320 mm

**Cylinder height:** 1.650 mm

**Total height of tank:** 2.800 mm

**SKU:** 394076

Mer information



## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: adhesive production; total height incl. foot frame; foot frame Fe (lacquered); some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 2300

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 1.650 mm

Invändig diameter: 1.320 mm

Total höjd: 2.800 mm

## Tjocklek på tank

Botten: 4 mm

Cylinder: 3 mm

Topp: 3 mm

**Mer**

Isolerad: Nej

---