

23000 liter tank i Rostfritt 304



145 000 SEK /st exkl moms

Additional information: food industry

Volumetric volume (L): 23.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: 34

Agitator: yes

Top: 3 mm

Cylinder: 2,50 mm

Bottom: 3 mm

Internal diameter tank: 2.650 mm

Outer diameter tank: 2.900 mm

Cylinder height: 3.400 mm

Total height of tank: 5.200 mm

SKU: 485336

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: food industry; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 23000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.400 mm

Invändig diameter: 2.650 mm

Total höjd: 5.200 mm

Ytterdiameter: 2.900 mm

Tjocklek på tank

Botten: 3 mm

Cylinder: 2,50 mm

Topp: 3 mm

Mer

Isolerad: Ja
