23000 liter tank i Rostfritt 304



146 000 SEK /st exkl moms

Additional information: food industry
Volumetric volume (L): 23.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: 34
Agitator: yes
Top: 3 mm
Cylinder: 2,50 mm
Bottom: 3 mm

Internal diameter tank: 2.650 mm
Outer diameter tank: 2.900 mm
Cylinder height: 3.400 mm
Total height of tank: 5.200 mm

SKU: 485336

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated with heat-exchanger
Mobil tank: Nej
Övrig information: food industry; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 23000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.400 mm
Invändig diameter: 2.650 mm
Total höjd: 5.200 mm
Ytterdiameter: 2.900 mm

Tjocklek på tank

Botten: 3 mm
Cylinder: 2,50 mm
Topp: 3 mm

Mer
Isolerad: Ja