

## 23000 liter tank i Rostfritt 304



**146 000 SEK /st exkl moms**

**Additional information:** food industry

**Volumetric volume (L):** 23.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)



**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** 34

**Agitator:** yes

**Top:** 3 mm

**Cylinder:** 2,50 mm

**Bottom:** 3 mm

**Internal diameter tank:** 2.650 mm

**Outer diameter tank:** 2.900 mm

**Cylinder height:** 3.400 mm

**Total height of tank:** 5.200 mm

**SKU:** 485336

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: food industry; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 23000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 3.400 mm

Invändig diameter: 2.650 mm

Total höjd: 5.200 mm

Ytterdiameter: 2.900 mm

## Tjocklek på tank

Botten: 3 mm

Cylinder: 2,50 mm

Topp: 3 mm

**Mer**

Isolerad: Ja

---