2400 liter tank i Rostfritt 304



61 000 SEK /st exkl moms

Additional information: Manhole approx. 345 x 455 mm; 1 dent in the iso jacket (see photos); some residues of previous content
Volumetric volume (L): 2.400 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Type HE on the cylinder: heating/cooling jacket
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Position of manway: headside
Outlet of tank: DN25 DIN 11851
Internal diameter tank: 1.420 mm
Outer diameter tank: 1.500 mm
Cylinder height: 1.480 mm

Total height of tank: 2.250 mm

SKU: 431645

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated with heat-exchanger
Mobil tank: Nej
Övrig information: Brewery; Manhole approx. 345 x 455 mm; 1 dent in the insulation jacket (see photos); some residues of previous content; we can't give any guarantees about the heating/cooling jacket
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 2400

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.480 mm
Invändig diameter: 1.420 mm
Total höjd: 2.250 mm
Ytterdiameter: 1.500 mm

Mer

Isolerad: Ja