24000 liter tank i Rostfritt 304



PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

155 000 SEK /st exkl moms

Additional information: Wine storage; 1 manhole approx. 320 x 420 mm in the cylinder; total height as per drawing; vessels were professionally cleaned and overhauled by the manufacturer in 2024; brand-new residual drain valves, sampling valves and manhole seals were installed.
Volumetric volume (L): 24.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: 100
Top: 3,50 mm
Cylinder: 2,50 mm
Bottom: 4 mm
Internal diameter tank: 3.450 mm

Cylinder height: 1.650 mm
Total height of tank: 3.650 mm

SKU: 440582

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Wine storage; 1 manhole approx. 320 x 420 mm in the cylinder; total height according to drawin); Tanks have been professionally cleaned and overhauled by the manufacturer in 2024; brand new residual
Övrig information2: drain valves, sampling valves and manhole seals were installed
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 24000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.650 mm
Invändig diameter: 3.450 mm
Total höjd: 3.650 mm

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Tjocklek på tank
Botten: 4 mm
Cylinder: 2,50 mm
Topp: 3,50 mm

Mer
Isolerad: Nej