2440 liter tank i Rostfritt 304



39 000 SEK /st exkl moms

Additional information: Fragrance production (alcoholic scents); 2 loose height-adjustable bearing shells made of stainless steel 304; 1 manhole approx. 345 x 440 mm in the front floor; partially 1 crane eye on top of the tank; inside length: approx. 2,580 mm; inside width: approx. 720 mm; inside height: approx. 1,470 mm; total height as shown in photo (not including unscrewed pipes inside the tank)
Volumetric volume (L): 2.440 L

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Pressure in tank: ATM - atmosferic
Max. temperature (°C): 60 °C
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Outlet of tank: 25
Total height of tank: 1.700 mm
Total outer width: 730 mm
Total outer length: 2.800 mm

SKU: 408971

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Max. arbetstemperatur: 60 °C
Mobil tank: Nej
Övrig information: Fragrance production (alcoholic scents); 2 loose, height-adjustable bearing shells, Aisi 304; 1 manhole approx. 345 x 440 mm in the front bottom; partially 1 lifting eyelet on top of the tank; Inner
Övrig information2: length: approx. 2,580 mm; Inner width: approx. 720 mm; Inner height: approx. 1,470 mm; Indication of total height as in the photo (without taking into account unscrewed pipes inside the tank)
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 2440

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 1.700 mm

Mer
Isolerad: Nej