

## 245000 liter tank i Rostfritt 304



**758,000,00 kr /st exkl moms**

**Additional information:** Dairy; We can provide a visual inspection protocol of the inner surface of the tank (not included in the price; Dismantling included in the price, loading is offered separately)

**Volumetric volume (L):** 245.000 L

**Pressure in tank:** ATM - atmosferic



**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** available

**Number of revolutions:** 40 / 80

**Power:** 2.7 / 5.5

**Internal diameter tank:** 4.450 mm

**Outer diameter tank:** 4.610 mm

**Cylinder height:** 15.750 mm

**Total height of tank:** 17.000 mm

**SKU:** 273298

## Mer information

## Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Dairy; We can provide a visual inspection protocol of the inner surface of the tank (not included in the price; Dismantling included in the price, loading is offered separately

Omrörare: Nej

Total urtappning: Nej

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 245000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Livsmedelsklassad: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 15.750 mm

Invändig diameter: 4.450 mm

Total höjd: 17.000 mm

Ytterdiameter: 4.610 mm

**Omrörare**

Kraft (kW): 2.7 / 5.5

Varvtal: 40 / 80

**Mer**

Isolerad: Nej