

250 liter tank i Syrafast 316



38 000 SEK /st exkl moms

Additional information: Mobile rack made of stainless steel 304; 1 opening, diameter approx. 180 mm, with a ball valve in the upper bottom shelf

Volumetric volume (L): 250 L

Pressure in tank: ATM - atmospheric



Max. temperature (°C): 95 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Internal diameter tank: 736 mm

Cylinder height: 340 mm

Total height of tank: 1.150 mm

SKU: 704845

Mer information



Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmospheric

Konfiguration: single-skin

Max. arbetstemperatur: 95 °C

Mobil tank: Nej

Övrig information: Mobile rack made of stainless steel 304; 1 opening, diameter approx. 180 mm, with a ball valve in the upper bottom shelf

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 250

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 340 mm

Invändig diameter: 736 mm

Total höjd: 1.150 mm

Mer

Isolerad: Nej