

250 liter tank i Syrafast 316



21,000,00 kr /st exkl moms

Additional information: Pharmacy; Mobile on 3 plastic rollers; diameter of hand hole approx. 290 mm; outlet fitting no longer available; former connections in the upper bottom were welded shut by the previous operator

Volumetric volume (L): 250 L

Pressure in tank: pressure
Max. pressure (Bar): 2 Bar
Material wet parts: SS AISI 316 (V4A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Outlet of tank: 35
Cylinder: 3,40 mm
Bottom: 3,90 mm
Internal diameter tank: 790 mm
Total height of tank: 1.300 mm

SKU: 476491

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Mobile on 3 plastic rollers; diameter of hand hole approx. 290 mm; outlet fitting no longer available; former connections in the upper bottom were welded shut by the previous operator

Omrörare: Nej

Övertryck: 2 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 250

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 790 mm

Total höjd: 1.300 mm

Tjocklek på tank

Botten: 3,90 mm

Cylinder: 3,40 mm

Mer

Isolerad: Nej
