2500 liter tank i Rostfritt 304



38 000 SEK /st exkl moms

Additional information: Wine storage; 1 manhole approx. 320 x 420 mm in the front base; 2 slightly different versions: Variant 1 with stacking frame and reinforcing strut inside can be used to stack variant 2 (without frame); vessels were professionally cleaned and overhauled in 2024; brand new residual drain valves (DN 50 DIN 11851 with butterfly valve) and manhole seals were installed; small dents possible
Volumetric volume (L): 2.500 L

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: DN40 DIN 11851

Total height of tank: 1.850 mm
Total outer width: 730 mm
Total outer length: 2.800 mm

SKU: 439844

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Wine storage; 1 manhole approx. 320 x 420 mm in the front bottom; 2 slightly different versions: version 1 with stackable frame in top and a reinforcement rod inside can be used to stack version 2
Övrig information2: frame); vessels were professionally cleaned and overhauled in 2024; brand new residual drain valves (DN 50 DIN 11851 with butterfly valve) and manhole seals were installed; small dents possible
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 2500

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 1.850 mm

Mer

Isolerad: Nej