

2500 liter tank i Rostfritt 304



47,000,00 kr /st exkl moms

Additional information: chemistry

Volumetric volume (L): 2.500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: flange DN25

Cylinder: 5,20 mm

Bottom: 4,90 mm

Internal diameter tank: 1.580 mm

Cylinder height: 1.100 mm

Total height of tank: 2.250 mm

Empty weight tank: 500

SKU: 450995

Mer information



Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: chemistry
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 2500

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.100 mm
Invändig diameter: 1.580 mm
Total höjd: 2.250 mm

Tjocklek på tank

Botten: 4,90 mm
Cylinder: 5,20 mm

Mer

Isolerad: Nej

Vikt: 500