

2500 liter tank i Rostfritt 304



48,000,00 kr /st exkl moms

Additional information: Wine storage; 1 manhole approx. 310 x 410 mm in the cylinder; 1 screwed outlet fitting with butterfly valve enlarges the outlet to DN 50 DIN 11851; tanks were professionally cleaned and overhauled in 2024; brand new residual drain valves and manhole seals were installed

Volumetric volume (L): 2.500 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: DN40 DIN 11851
Top: 4,50 mm
Cylinder: 4 mm
Bottom: 4,30 mm
Internal diameter tank: 1.230 mm

Cylinder height: 1.910 mm
Total height of tank: 2.950 mm

SKU: 474245

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Wine storage; 1 manhole approx. 310 x 410 mm in the cylinder; 1 screwed outlet fitting with butterfly valve enlarges the outlet to DN 50 DIN 11851; tanks were professionally cleaned and overhauled

Övrig information2: in 2024; brand new residual drain valves and manhole seals were installed

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.910 mm

Invändig diameter: 1.230 mm

Total höjd: 2.950 mm

Tjocklek på tank

Botten: 4,30 mm

Cylinder: 4 mm

Topp: 4,50 mm

Mer

Isolerad: Nej