

## 2500 liter tank i Rostfritt 304



**44 000 SEK /st exkl moms**

**Additional information:** Wine storage; 1 manhole approx. 310 x 410 mm in the cylinder; 1 screwed-on outlet fitting with disc tap enlarges the outlet to DN 50 DIN 11851; vessels were professionally cleaned and overhauled in 2024; brand-new residual drain valves and manhole seals were installed

**Volumetric volume (L):** 2.500 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no  
**Position of manway:** cylinder

**Outlet of tank:** DN40 DIN 11851  
**Top:** 4,50 mm  
**Cylinder:** 4 mm  
**Bottom:** 4,30 mm  
**Internal diameter tank:** 1.230 mm

**Cylinder height:** 1.910 mm  
**Total height of tank:** 2.950 mm

**SKU:** 474245

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Wine storage; 1 manhole approx. 310 x 410 mm in the cylinder; 1 screwed outlet fitting with butterfly valve enlarges the outlet to DN 50 DIN 11851; tanks were professionally cleaned and overhauled

Övrig information2: in 2024; brand new residual drain valves and manhole seals were installed

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2500

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.910 mm

Invändig diameter: 1.230 mm

Total höjd: 2.950 mm

**Tjocklek på tank**

Botten: 4,30 mm

Cylinder: 4 mm

Topp: 4,50 mm

**Mer**

Isolerad: Nej