2500 liter tank i Rostfritt 304



57 000 SEK /st exkl moms

Additional information: Pharmaceutical Chemistry; Manhole diameter approx. 600 mm (manhole flange ring made of Fe, see photos); 1 smaller dent in the cylinder; Metallic discolouration inside
Volumetric volume (L): 2.500 L
Pressure in tank: ATM - atmosferic
Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: in the bottom
Outlet of tank: flange DN100
Cylinder: 5,20 mm
Bottom: 4,90 mm
Internal diameter tank: 1.290 mm

Cylinder height: 1.750 mm
Total height of tank: 3.150 mm

SKU: 413339

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Max. arbetstemperatur: 50 °C
Mobil tank: Nej
Övrig information: Pharmaceutical Chemistry; Manhole diameter approx. 600 mm (manhole flange ring made of Fe, see photos); 1 smaller dent in the cylinder; Metallic discolouration inside
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 2500

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.750 mm
Invändig diameter: 1.290 mm
Total höjd: 3.150 mm

Tjocklek på tank

Botten: 4,90 mm
Cylinder: 5,20 mm

Mer
Isolerad: Nej