

## 2500 liter tank i Rostfritt 304



**52,000,00 kr /st exkl moms**

**Additional information:** Cosmetics; Manhole diameter approx. 390 mm; some residues of previous content

**Volumetric volume (L):** 2.500 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** DN50 DIN 11851

**Agitator:** yes

**Number of revolutions:** 950

**Power:** 9,70

**Internal diameter tank:** 1.590 mm

**Cylinder height:** 1.200 mm

**Total height of tank:** 2.850 mm

**SKU:** 486473

---

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Cosmetics; Manhole diameter approx. 390 mm; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2500

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 1.200 mm

Invändig diameter: 1.590 mm

Total höjd: 2.850 mm

## Omrörare

Kraft (kW): 9,70

Varvtal: 950

**Mer**

Isolerad: Nej

---