

2500 liter tank i Syrafast 316



51 000 SEK /st exkl moms

Additional information: Cosmetics; Foot ends cut off (see photos); motor-/gear is missing; pipe end cut flush

Volumetric volume (L): 2.500 L

Pressure in tank: pressure

Max. pressure (Bar): 1 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 34

Agitator: yes

Cylinder: 4 mm

Bottom: 5 mm

Internal diameter tank: 1.190 mm

Cylinder height: 2.500 mm

Total height of tank: 3.850 mm

SKU: 475261

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Cosmetics; Foot ends cut off (see photos); motor-/gear is missing; pipe end cut flush; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 1 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 2500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 2.500 mm

Invändig diameter: 1.190 mm

Total höjd: 3.850 mm

Tjocklek på tank

Botten: 5 mm

Cylinder: 4 mm

Mer

Isolerad: Nej
