

## 2500 liter tank i Syrafast 316



**56,000,00 kr /st exkl moms**

**Additional information:** Cosmetics; Foot ends cut off (see photos); motor-/gear is missing; pipe end cut flush

**Volumetric volume (L):** 2.500 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 1 Bar

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** 34

**Agitator:** yes

**Cylinder:** 4 mm

**Bottom:** 5 mm

**Internal diameter tank:** 1.190 mm

**Cylinder height:** 2.500 mm

**Total height of tank:** 3.850 mm

**SKU:** 475261

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Cosmetics; Foot ends cut off (see photos); motor-/gear is missing; pipe end cut flush; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 1 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 2500

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 2.500 mm

Invändig diameter: 1.190 mm

Total höjd: 3.850 mm

## Tjocklek på tank

Botten: 5 mm

Cylinder: 4 mm

**Mer**

Isolerad: Nej

---