

## 2500 liter tank i Syrafast 316



**41 000 SEK /st exkl moms**

**Additional information:** Chemistry  
**Volumetric volume (L):** 2.500 L  
**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** available

**Cylinder height:** 1.380 mm

**Total height of tank:** 2.900 mm

**SKU:** 485117

---

Mer information



## Beskrivning av produkt

Material: Syrafast 316  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetsstryck i tank: ATM – atmosferic  
Konfiguration: single-skin  
Mobil tank: Nej  
Övrig information: chemistry  
Omrörare: Nej  
Total urtappning: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 316 (V4A)  
Volym i liter: 2500

## Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Ja  
Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 1.380 mm  
Total höjd: 2.900 mm

## Mer

Isolerad: Nej