

25000 liter tank i Rostfritt 304



129 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: there is still a little glucose in it, we are going to clean this

Volumetric volume (L): 25.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes



Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Bottom outlet: yes

Total discharge: yes

Fixation points: 6 adjustable feet

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 440 mm x H 350 mm

Hinged lid: yes

Tank outlet: inside Ø 65 mm

Agitator: no

Internal diameter tank: 3.000 mm

Distance from outlet to ground: 260 mm

Outer diameter tank: 3.200 mm

Cylinder height: 3.730 mm

Total height of tank: 4.800 mm

Empty weight tank: 2.300

SKU: 294967

Mer information

Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: there is still a little glucose in it, we are going to clean this

Omrörare: Nej

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: conical

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 25000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Livsmedelsklassad: Ja

Tankutlopp: inside Ø 65 mm

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): RVS 304



Dimensioner av tank

Cylinderhöjd: 3.730 mm
Invändig diameter: 3.000 mm
Mått utlopp till marken: 260 mm
Total höjd: 4.800 mm
Ytterdiameter: 3.200 mm

Mer

Isolerad: Ja
Vikt: 2.300