25000 liter tank i Rostfritt 304



314 000 SEK /st exkl moms

Additional information: food industry
Volumetric volume (L): 25.000 L
Pressure in tank: pressure
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Volume: 510 L
Max Overpressure: 3 Bar
Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket
Documents included: no

Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: in the bottom
Outlet of tank: available

Agitator: yes
Number of revolutions: 15 / 30
Power: 4.4 / 7.5
Internal diameter tank: 2.800 mm
Total height of tank: 6.300 mm

SKU: 487530

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: isolert med varmeveksler
Mobil tank: Nej
Övrig information: food industry; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator
Omrörare: Ja
Total urtappning: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 25000

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 2.800 mm
Total höjd: 6.300 mm

Omrörare

Kraft (kW): 4.4 / 7.5
Varvtal: 15 / 30

Mer
Isolerad: Ja