

## 25000 liter tank i Rostfritt 304



**163,000,00 SEK /st exkl moms**

**Additional information:** Solid pipe coil only in the lower area of the cylinder (see pictures)

**Volumetric volume (L):** 25.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** flange DN50

**Agitator:** yes

**Number of revolutions:** 61

**Power:** 1.5 / 7.5

**Outer diameter tank:** 3.000 mm

**Cylinder height:** 3.650 mm

**Total height of tank:** 5.400 mm

**Empty weight tank:** 3.000

**SKU:** 569006

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Solid pipe coil only in the lower area of the cylinder (see pictures); we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 25000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 3.650 mm

Total höjd: 5.400 mm

Ytterdiameter: 3.000 mm

## Omrörare

Kraft (kW): 1.5 / 7.5

Varvtal: 61

**Mer**

Isolerad: Nej

Vikt: 3.000

---