

25000 liter tank i Rostfritt 304



171 000 SEK /st exkl moms

Additional information: Fruit juice; Total height estimated (deviations possible); Wall thickness of the lowest cylinder segment: 3 mm

Volumetric volume (L): 25.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 65

Top: 3 mm

Cylinder: 2,50 mm

Bottom: 4 mm

Internal diameter tank: 2.800 mm

Cylinder height: 3.500 mm

Total height of tank: 5.000 mm

SKU: 474587

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Fruit juice; Total height estimated (deviations possible); Wall thickness of the lowest cylinder segment: 3 mm

Omrörare: Nej

Total urtappning: Nej

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 25000



Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.500 mm
Invändig diameter: 2.800 mm
Total höjd: 5.000 mm

Tjocklek på tank

Botten: 4 mm
Cylinder: 2,50 mm
Topp: 3 mm

Mer

Isolerad: Nej