

25000 liter tank i Rostfritt 304



250 000 SEK /st exkl moms

Volumetric volume (L): 25.000 L

Pressure in tank: pressure

Max. pressure (Bar): 0,99 Bar

Max. temperature (°C): 98 °C



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: available

Agitator: yes

Top: 5 mm

Cylinder: 3 mm

Bottom: 5 mm

Internal diameter tank: 2.925 mm

Total height of tank: 5.500 mm

SKU: 736132

Mer information



Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: insulated

Max. arbetstemperatur: 98 °C

Mobil tank: Nej

Övrig information: we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 0,99 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 25000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 2.925 mm

Total höjd: 5.500 mm

Tjocklek på tank

Botten: 5 mm

Cylinder: 3 mm

Topp: 5 mm

Mer

Isolerad: Ja