

## 25000 liter tank i Rostfritt 304



## 205 000 SEK /st exkl moms

**Additional information:** Pharmaceutical chemistry; Test pressure: + 4 bar; manholes each DN 600; Piping inside the tanks; manhole cover plated

**Volumetric volume (L):** 25.000 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 50 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 130

**Cylinder:** 6 mm

**Bottom:** 6,90 mm

**Internal diameter tank:** 2.600 mm

**Cylinder height:** 4.530 mm

**Total height of tank:** 6.350 mm

**SKU:** 280978

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Pharmaceutical chemistry; Test pressure: + 4 bar; manholes each DN 600;

Piping inside the tanks; manhole cover plated

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 25000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 4.530 mm

Invändig diameter: 2.600 mm

Total höjd: 6.350 mm

**Tjocklek på tank**

Botten: 6,90 mm

Cylinder: 6 mm

**Mer**

Isolerad: Nej