25000 liter tank i Rostfritt 304



PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

206 000 SEK /st exkl moms

Additional information: Pharmaceutical chemistry; Test pressure: + 4 bar; electic trace heating installed below the insulation jacket; bump at the insulation jacket
Volumetric volume (L): 25.000 L
Pressure in tank: ATM - atmosferic
Max. temperature (°C): 50 °C
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Outlet of tank: available
Cylinder: 6 mm
Bottom: 6,90 mm
Internal diameter tank: 2.600 mm
Total height of tank: 5.900 mm

SKU: 411137

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: insulated
Max. arbetstemperatur: 50 °C
Mobil tank: Nej
Övrig information: Pharmaceutical chemistry; Test pressure: + 4 bar; electic trace heating installed below the insulation jacket; bump at the insulation jacket
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 25000

Utrustning

Dokument finns: Nei, det er det ikke.
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 2.600 mm
Total höjd: 5.900 mm

Tjocklek på tank

Botten: 6,90 mm
Cylinder: 6 mm

Mer
Isolerad: Ja