


## 25000 liter tank i Syrafast 316



**200 000 SEK /st exkl moms**

**Additional information:** Pharmaceutical Chemistry; Floor frame made of stainless steel 304; wall thickness of lower cylinder half approx. 6 mm; manhole cover plated

**Volumetric volume (L):** 25.000 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 50 °C  
**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical  
**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no

**Total discharge:** yes  
**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no

**Position of manway:** headside  
**Outlet of tank:** available  
**Top:** 5,80 mm  
**Cylinder:** 5 mm  
**Bottom:** 6,30 mm

**Internal diameter tank:** 2.400 mm  
**Outer diameter tank:** 2.400 mm  
**Cylinder height:** 5.400 mm  
**Total height of tank:** 7.200 mm

**SKU:** 477547

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Pharmaceutical Chemistry; Floor frame made of stainless steel 304; wall thickness of lower cylinder half approx. 6 mm; manhole cover plated

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 25000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 5.400 mm

Invändig diameter: 2.400 mm

Total höjd: 7.200 mm

Ytterdiameter: 2.400 mm



## Tjocklek på tank

Botten: 6,30 mm

Cylinder: 5 mm

Topp: 5,80 mm

## Mer

Isolerad: Nej