

## 2567 liter tank i Rostfritt 304



**35,000,00 kr /st exkl moms**

**Additional information:** Chemistry; Outlet with flanged fitting; bearing shells made of stainless steel; vessel with internal fittings and internal adhesions; in a partial area cylinder/rear bottom, the tank was laminated on the outside with a GRP layer by the previous operator for reasons unknown to us (see photos)

**Volumetric volume (L):** 2.567 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,50 Bar

**Max. temperature (°C):** 100 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** horizontal

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** flange DN40

**Internal diameter tank:** 1.180 mm

**Total height of tank:** 2.100 mm

**Total outer length:** 2.650 mm

**SKU:** 569165

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Chemistry; Outlet with flanged fitting; bearing shells made of stainless steel; vessel with internal fittings and internal adhesions; in a partial area cylinder/rear bottom, the tank was laminated

Övrig information2: on the outside with a GRP layer by the previous operator for reasons unknown to us (see photos)

Omrörare: Nej

Övertryck: 0,50 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 2567

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Invändig diameter: 1.180 mm

Total höjd: 2.100 mm

**Mer**

Isolerad: Nej

---