

258 liter tank i Syrafast 316



89 000 SEK /st exkl moms

Additional information: Handhole diameter: 250 mm; drawing of an identical vessel is available

Volumetric volume (L): 258 L

Pressure in tank: vacuum

Min. pressure (Bar): 1 Bar



Max. temperature (°C): 134 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 25

Agitator: yes

Internal diameter tank: 750 mm

Total height of tank: 1.300 mm

SKU: 706936

Mer information



Beskrivning av produkt

Material: Acid-resistant 316

Modell: Vertical

Nyttillverkad/Begagnad: Used

Arbetsstryck i tank: vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 134 °C

Mobil tank: No, it is not.

Övrig information: Handhole diameter: 250 mm; drawing of an identical vessel is available; we can't give any guarantees about the agitator

Omrörare: Yes

Total urtappning: Yes

Undertryck (vakuum): 1 bar

Uppvärmning/kylning: No, it is not.

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 258

Utrustning

Dokument finns: No, it is not.

Fläns för omrörare: No

Märkskylt: Yes

Teknisk ritning finns: No, it is not.

Översikt material

Material: Acid-resistant 316

Dimensioner av tank

Invändig diameter: 750 mm

Total höjd: 1.300 mm

Mer

Isolerad: No