

2600 liter tank i Syrafast 316



48,000,00 kr /st exkl moms

Additional information: Cosmetics; Test pressure according to type plate: 3 bar; 1 tank with 1 dent in the transition between cylinder and upper bottom; in addition, one of the feet on this tank is slightly bent (see photos); some residues of previous content; pipe end cut flush

Volumetric volume (L): 2.600 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: 32
Internal diameter tank: 990 mm
Cylinder height: 3.020 mm
Total height of tank: 4.000 mm

SKU: 475231

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Cosmetics; Test pressure according to type plate: 3 bar; 1 tank with 1 dent in the transition between cylinder and upper bottom; in addition, one of the feet on this tank is slightly bent (see

Övrig information2: photos); some residues of previous content; pipe end cut flush

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 2600

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 3.020 mm

Invändig diameter: 990 mm

Total höjd: 4.000 mm

Mer

Isolerad: Nej

