

26000 liter tank i Rostfritt 304



177 000 SEK /st exkl moms

Volumetric volume (L): 26.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no



Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN65 DIN 11851

Top: 4 mm

Cylinder: 3 mm

Bottom: 4 mm

Outer diameter tank: 2.560 mm

Cylinder height: 4.500 mm

Total height of tank: 5.800 mm

SKU: 703160

Mer information



Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetsstryck i tank: ATM – atmosfERIC
Konfiguration: single-skin
Mobil tank: Nej
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 26000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 4.500 mm
Total höjd: 5.800 mm
Ytterdiameter: 2.560 mm

Tjocklek på tank

Botten: 4 mm
Cylinder: 3 mm
Topp: 4 mm



Mer

Isolerad: Nej