26000 liter tank i Rostfritt 304



177 000 SEK /st exkl moms

Volumetric volume (L): 26.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin

Heat exchanger: no
Insulation: no

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mobile tank: no
Total discharge: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: cylinder
Outlet of tank: DN65 DIN 11851

Top: 4 mm
Cylinder: 3 mm
Bottom: 4 mm
Outer diameter tank: 2.560 mm
Cylinder height: 4.500 mm

Total height of tank: 5.800 mm

SKU: 703160

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 26000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 4.500 mm
Total höjd: 5.800 mm
Ytterdiameter: 2.560 mm

Tjocklek på tank

Botten: 4 mm
Cylinder: 3 mm
Topp: 4 mm

Mer
Isolerad: Nej