

261 liter tank i Syrafast 316



45,000,00 kr /st exkl moms

Additional information: Chemistry; Diameter of hand hole approx. 150 mm; 2 of the feet are shorter than the other two feet (see photos; take this into account when setting up the vessel); some residues of previous content

Volumetric volume (L): 261 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: available

Agitator: yes
Number of revolutions: 920
Power: 0,65
Internal diameter tank: 600 mm
Cylinder height: 790 mm

Total height of tank: 1.880 mm

SKU: 490296

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Chemistry; Diameter of hand hole approx. 150 mm; 2 of the feet are shorter than the other two feet (see photos; take this into account when setting up the vessel); some residues of previous content;

Övrig information2: we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 261

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 790 mm

Invändig diameter: 600 mm

Total höjd: 1.880 mm

Omrörare

Kraft (kW): 0,65

Varvtal: 920

Mer

Isolerad: Nej
