265 liter tank i Rostfritt 304



57 000 SEK /st exkl moms

Additional information: steel alloys; Cone height approx. 1200 mm; handhole approx. 220 x 315 mm; handhole collar and handhole cover made of Fe; the handhole cover is missing on one vessel; handhole cover fastenings incomplete on the other vessels; some residues of previous content
Volumetric volume (L): 265 L
Pressure in tank: pressure

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Max. pressure (Bar): 20,50 Bar
Min. pressure (Bar): 20,50 Bar

Max. temperature (°C): 100 °C
Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Volume: 25 L
Max Overpressure: 0,49 Bar

Max. working temperature: 100 °C
Type HE on the bottom: heating/cooling jacket
Heat exchanger: RVS 304
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: available
Agitator: yes
Number of revolutions: 90 - 546

Power: 1,50
Total height of tank: 3.350 mm

SKU: 396479

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single jacketed with heat-exchanger
Max. arbetstemperatur: 100 °C
Mobil tank: Nej
Övrig information: steel alloys; cone height approx. 1200 mm; hand hole approx. 220 x 315 mm; hand hole collar and hand hole cover made of Fe; the hand hole cover is missing for 1 tank; fastenings of the hand hole
Övrig information2: covers of the other tanks are incomplete; some residues of previous content; we can’t give any guarantees about the agitator
Omrörare: Ja
Övertryck: 20,50 Bar
Total urtappning: Ja
Undertryck (vakuum): 20,50 Bar
Trycktank: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 265

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 3.350 mm

Omrörare
Kraft (kW): 1,50
Varvtal: 90 – 546

Mer
Värmeväxlare: RVS 304
Isolerad: Nej